



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities.

CONNECTICUT—*Hartford*.—Month of September, 1898. Estimated population, 72,000. Total number of deaths, 99, including enteric fever, 2, and 5 from phthisis pulmonalis.

DELAWARE.—Reports from physicians in all parts of the State of Delaware show that in 5 places typhoid fever is quite prevalent, traceable to impure well water, made so by surface drainage and the unsanitary condition of dwelling houses, especially in the country. In a majority of the towns and their vicinity the general health of the people is very good, there being very little malaria. Quite a number of cases of typhoid and malaria are reported in this city, Wilmington. The general health of the people in the State at large is very good.

STATE OF INDIANA.

Mortality statistics for the period beginning October 1, 1896, and ending September 30, 1897.

Month.	Causes of death.							
	Phthisis pulmonalis.	Smallpox.	Typhus.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
October.....	160	0	0	125	11	167	0	6
November.....	114	0	0	63	4	125	4	2
December.....	125	0	0	56	3	103	5	5
January.....	206	0	0	44	4	68	15	8
February.....	179	0	0	26	6	36	18	5
March.....	192	0	0	21	2	32	14	7
April.....	220	0	0	35	9	49	19	16
May.....	172	0	0	19	6	16	7	10
June.....	144	0	0	13	0	15	3	10
July.....	178	0	0	48	2	17	6	18
August.....	162	0	0	90	1	42	12
September.....	122	0	0	115	7	45	1	4
Total.....	1,974	0	0	655	55	715	92	103
								16,252

Evansville.—Month of September, 1898. Estimated population, 70,000. Total number of deaths, 62, including enteric fever, 1; whooping cough, 1, and 3 from phthisis pulmonalis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended October 1, 1898, from 74 observers, indicate that cholera infantum and inflammation of kidney increased in area of prevalence. Phthisis pulmonalis was reported present at 181, enteric fever at 102, scarlet fever at 29, diphtheria at 22, whooping cough at 11, measles at 7 places, and smallpox at 1 place, Detroit.

MINNESOTA—*Winona*.—Month of September, 1898. Estimated population, 24,000. Total number of deaths, 23, including 3 from phthisis pulmonalis.

NEW HAMPSHIRE—*Concord*.—Month of September, 1898. Estimated population, 18,000. Total number of deaths, 34, including enteric fever, 2; whooping cough, 1, and 3 from phthisis pulmonalis.

OHIO—*Cincinnati*.—Month of August, 1898. Estimated population, 405,000. Total number of deaths, 375, including diphtheria, 2; enteric fever, 6; whooping cough, 4, and 39 from phthisis pulmonalis.

Youngstown.—Month of September, 1898. Estimated population, 50,000. Total number of deaths, 34, including enteric fever, 2; whooping cough, 3, and 3 from phthisis pulmonalis.

PENNSYLVANIA—*Williamsport*.—Month of September, 1898. Estimated population, 35,000. Total number of deaths, 32. No contagious diseases.

TENNESSEE—*Chattanooga*.—Month of September, 1898. Estimated population, 40,000—white, 27,000; colored, 13,000. Total number of deaths, 40, including diphtheria, 1, and 8 from phthisis pulmonalis.

VIRGINIA—*Lynchburg*.—Month of September, 1898. Estimated population, 30,000. Total number of deaths, 30, including enteric fever, 3; whooping cough, 1, and 3 from phthisis pulmonalis.

Petersburg.—Month ended September 26, 1898. Estimated population, 25,000—white, 12,000; colored, 13,000. Total number of deaths, 46, including enteric fever, 6; whooping cough, 1, and 2 from phthisis pulmonalis.

WEST VIRGINIA—*Wheeling*.—Month of July, 1898. Estimated population, 37,000. Total number of deaths, 38, including enteric fever, 2.

Month of August, 1898. Total number of deaths, 49, including enteric fever, 4; whooping cough, 3, and 3 from phthisis pulmonalis.

Month of September, 1898. Total number of deaths, 32, including enteric fever, 2, and 7 from phthisis pulmonalis.